Receiving Report

	pate: 9/9/3 supplier: CANI	01		h No: <u>M</u> / P/O:	12776		
Packing Slip: Invoice: Receipt: Discrepancies	Yes No No No Cr	y s Q	Release Note A Vaybill Attache hipment Com C6 Inspection Vork Order	ed: Ye plete: Ye		N/A	
Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments	
	'						
Initials of receiver (if shipment OK) Level 12							
Production/Ad Date Received/Cos Initial	09/09/29				Location	on	

H:\FORMS\Purchasing\approved purch\RECREPORT_Rev.D -

AMPI

935, boul. du Havre

Valleyfield (Québec)

J6S 5L1

TÉLÉPHONE: 450 377-4248 FAX: 450 377-5696

MONTRÉAL: 514336-4248 514 336-4246

DISTRIBUTEUR D'ACIER ET MÉTAUX SPÉCIALISÉS STEEL AND SPECIALTY METALS DISTRIBUTOR

ONTARIO: 1 800 667-4248 1 866 456-4242

On a du Savoir " FER "

·			
VENDU	Α/	SOLD	TO.
	,		ıО.

VOTRE N° DE COMMANDE / YOUR P.O. N°

613-632-5200

613-632-1053

DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY. ONTARIO K6A 1K7

DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY, ONTARIO K6A 1K7

EXPÉDIEZ À / SHIP TO:

	ACTURE NVOICE	N°	211991
DAT	Е	2	5/09/09
BOI PAC	N DE LIVRAISON CKING SLIP	N°	154719
DAT DEL	E DE LIVRAISON IVERY DATE	. 2	5/09/09

VOTRE N° DE COMMANDE / YOUF	R.P.O. Nº VEND / SALES	M. CODE CLIENT / CU.	CT 0005				JELIV	ERYDAIL	
10452	R	DAER	ST. CODE EXPEDIE PAR / SHIP VIA	TERMES / TERMS NET 30 JOURS		TERR. REN	MARQUE	S / REMARKS	PAGE N° 001
CODE DE PRODUIT	COMMANDÉ	EXPÉDIÉ							661
PRODUCT CODE	ORDERED	SHIPPED	DESCRI	PTION	POIDS WEIGHT	PRIX PRICE		PAR PER *	MONTANT AMOUNT
MD 1218F	6	5	EXPANDED METAL 1/2 X 1	A)F	net .		1		()
FUL8	_		5 X 8 X 4 VOIR LETTRE DE CONFORM		5	32.5	500	UN	CZ 162.50
7 Giad	1	1.	ENERGETIC SURCHARGE	it I lin	1.	3.9	950	UN	CL 3.95
				OCT 2 2000					
			RECEIVED	OCT 2 - 2009					
Unités de mesure : CLB Cent livres Units of measure : CLB Hundred pou	unds • CPI Centpieds Hundred feet	• UN Unité • PI Pied	PC Pled carré Square foot	POIDS TOTAL	E				
O DITTONS S MATÉRIAUX LIVRÉS ET FACTURÉS TELS QUE D				TOTAL WEIGHT	6		,		

LES MATHEMOL VINES ET FACTURES TELS QUE DÉCRITS DEMEURENT LA PROPRIÉTÉ DE "ACIER CAMPI INC." JUSQU'À PARFAIT PAIEMENT COMPLET ENCAISSÉ, « LES RISQUES DE PERTES DU BIEN SONT À LA CHARGE DE L'ACHETEUR. » LA GARANTIE DE QUALITÉ DU MATÉRIEL EST LA MÉME QUE CELLE IMPAYÉ DANS LES 30 JOURS ENTRAÎNE DES FRAIS DE 2% PAR MOIS (24% PAR ANNÉE) QU'IL ACCEPTE DE PAYER. » TOUT DÉFAUT D'EXÉCUTER L'UNE OU L'AUTRE DES OBLIGATIONS EN VERTU QUERFESENT CONTRAT ENTRAÎNE LA DÉCHÉANCE DU TERME ET PERMET AU VENDEUR, À SON CHOIX, DE RÉCLAMER CE DOCUMENT. » TOUTE MARCHANDISE ENDOMMAGÉE, ALTÉRÉE OU GOUPÉE NE PEUT ÊTRE FAITE DÂNS LÉS CINQ JOURS SUR PRÉSENTATION DE ACCEPTE SANS NOZIRE AUTORISATION. » TOUTE MARCHANDISE NE SENS MOZIRE AUTORISATION. » TOUTE MARCHANDISE NE SERA ACCEPTE SANS NOZIRE AUTORISATION. » TOUTE MARCHANDISE RES SUJETTE À DES FRAIS DE MANUTENTION DE 25%.

PRÉPARÉ / PREPARED.	VÉRIFIÉ / VERIFIED	
PAR ► BY	PAR BY	

LIVRÉ. I DELIVERED HEURE / TIME N° ENR. TPS / GST REG. N° R 135 534 717 • N° ENR. TVQ / QST REG. N° 1 015 668 543

ALL SOLD AND DELIVERED MATERIALS REMAIN THE PROPERTY OF "ACIER CAMPI INC." UNTIL PAYMENT IS MADE IN FULL, COMPLETE AND CASHED.
ALL LOST MATERIALS ARE AT THE BUYER'S EXPENSE. • ALL MATERIALS BEAR THE SAME WARRANTY AS GIVEN BY THE MANUFACTURER.
THE BUYER HERBEY ACCEPTS TO RESPECT THE FOLLOWING CONDITIONS: NET 30 DAYS FROM BILLING DATE AND THE BUYER ACCEPTS TO PAY ADMINISTRATION CHARGES OF 2% PER MONTH OR 24% PER ANNUM ON ALL PAST DUE ACCOUNTS OVER 30 DAYS. • ANY DEFAULT IN RESPECT WITH ADMINISTRATION GRANGES OF 25-YER MONTH ON 2436 YER ANNUM ON ALL PAST DUE ACCOUNTS OVER 30 DAYS. • ANY DEFAULT WIND THIS CONTRACT WILL LEAD TO PAYMENT BY ACCELERATION AND PERMITS TO THE SELLER, AT HIS CHOICE TO CLAIM FOR THE BALANCE DUE OR THE REPOSSESSION OF THE GOODS SOLD. • ANY CLAIM MUST BE MADE WITHINFIVE DAYS WITH THIS DOCUMENT ENCLOSED. • ANY MERCHANDISE THAT HAS BEEN DAMMAGED, CUT OR MODIFIED CANNOT BE RETURNED. • ALL GOODS RETURNED MUST BE WITH OUR AUTHORIZATION AND ARE SUBJECT

MARCHANDISE REQUE EN BONNE CONDITION MERCHANDISE RECEIVED IN GOOD CONDITION M/M

X		

SIGNATURE DU CLIENT / CUSTOMER'S SIGNATURE

SOUS-TOTAL 166.45 SUB TOTAL T.P.S. 8.33 G.S.T. T.V.Q. 9.99 Q.S.T. 174.78 TOTAL

J/D

DATE

Purchase Order Receipt Listing

September 29, 2009 2:41:40 PM

All amounts are calculated in domestic currency.

All Vendors PO ID po10452 All Receipt Dates All Line Item Types
All Item ID/GL/WOs All Rec. Employees All Currencies
Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty		Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
VendorID\Ven PO10452 CAD	dor Nam 1 No		CAM002 Camp M569EX0.50-18F 569 Expanded Meta 112776	i Steel sf l sf	9/24/09 192.0000	9/29/09 LAVO01	160.0000	\$1.25 \$200.00	0.0000	0	CX\$200.00
								Total (Total Received Q Qty to Inspect (PC Total Reject Q Total Receipt Il Balance Due Qu	O U/M): uantity: : Value:	160.0000 0.0000 0.0000 \$200.00 32.0000

Was - The state of	
TARCIDIN	
CAMPI	
SUEBL	

935, boul. du Havre

Valleyfield (Québec)

J6S 5L1

TÉLÉPHONE: 450 377-4248

450 377-5696

MONTRÉAL: 514336-4248 FAX:

514 336-4246

DISTRIBUTEUR D'ACIER ET MÉTAUX SPÉCIALISÉS STEEL AND SPECIALTY METALS DISTRIBUTOR

ONTARIO: 1 800 667-4248 1 866 456-4242

On a du Sayoir " FER "

613-632-580N

HAWKESBURY,

ONTARIO

-K6A-LK2

DORT AEROSPACE LTD '

1270 ABERDEEN STREET

EXPÉDIEZ À / SHIP TO:

COMMONDE ORDER

154719

24/09/09

DART AEROSPACE LTD

1270 ABERDEEN STREET

HAUKESBURY.

ONTARIO K6A IK?

BON DE LIVRAISON Nº PACKING SLIP

DATE

DATE DE LIVRAISON

25/09/09 **DELIVERY DATE** VOTRE N° DE COMMANDE / YOUR P.O. N° VEND. / SALESM. CODE CLIENT / CUST. CODE EXPEDIE PAR / SHIP VIA TERMES / TERMS 10452 REMARQUES / REMARKS DAER PAGE N° NET 30 JOURS 21 901 CODE DE PRODUIT COMMANDÉ EXPÉDIÉ PRODUCT CODE ORDERED DESCRIPTION POIDS SHIPPED MONTANT .WEIGHT PER * **AMOUNT** MD 1218F EXPANDED METAL 1/2 X 16F 6.00 6 x 8 x à Lettre Conformité FULB ENERGETIC SURCHARGE

Unités de mesure : CLB Cent livres · CPI Centpieds · UN Unité * Units of measure: Hundred pounds

POIDS TOTAL TOTAL WEIGHT

CONDITIONS

LES MATÉRIAUX LIVRÉS ET FACTURÉS TELS QUE DÉCRITS DEMEURENT LA PROPRIÉTÉ DE "ACIER CAMPI INC." JUSQU'À PARFAIT PAIEMENT COMPLET ENCAISSÉ. • LES RISQUES DE PERTES DU BIEN SONT À LA CHARGE DE L'ACHETEUR. • LA GARANTIE DE QUALITÉ DU MATÉRIEL EST LA MÉME QUE CELLE DU FABRIQUANT. • L'ACHETEUR S'ENGAGE À RESPECTER LES CONDITIONS SUIVANTES: NET 30 JOURS DE LA DATE DE FACTURATION, ET TOUT COMPTE IMPAYÉ DANS LES 30 JOURS ENTRAÎNE DES FRAIS DE 2% PAR MOIS (24% PAR ANNÉE) QU'IL ACCEPTE DE PAYER. • TOUT DÉFAUT D'EXÉCUTER L'UNE OU L'AUTRE DES OBLIGATIONS EN VERTU DU PRÉSENT CONTRAT ENTRAÎNE LA DÉCHÉANCE DU TERME ET PERMET AU VENDEUR, À SON CHOIX, DE RÉCLAMER TOUT SOLDE DU PRIX DE VENTE OU REPRENDRE LE BIEN VENDU. • TOUTE RÉCLAMATION DOIT ÈTRE FAITE DANS LES CINQ JOURS SUR PRÉSENTATION DE CE DOCUMENT. • TOUTE MARCHANDISE ENDOMMAGÉE, ALTÉRÉE DU COUPÉE NE PEUT ÊTRE REPRISE. • AUCUN RETOUR DE MARCHANDISE NE SERA ACCEPTÉ SANS NOTRE AUTORISATION. • TOUTE MARCHANDISE RETOURNÉE EST SUJETTE À DES FRAIS DE MANUTENTION DE 25%.

PRÉPARÉ I PREPARED.	Tués es é	77/
PREPARE I PREPARED.	VÉRIFIÉ / VERIFIED /	LIVRÉ. / DELIVERED
		17
PAR	PAR 1	PAR //
BY	BY \	BV .
N° ENR. TPS / GST REG. A	'° R 135 534 717 • N° ENI	R. TVQ / QST REG. N° 1 015 668 543

HEURE / TIME

TO A 25% RESTOCKING CHARGE.

CONDITIONS:

MARCHANDISE REQUE EN BONNE CONDITION MERCHANDISE RECEIVED IN GOOD CONDITION

ALL SOLD AND DELIVERED MATERIALS REMAIN THE PROPERTY OF "ACIER CAMPI INC." UNTIL PAYMENT IS MADE IN FULL, COMPLETE AND CASHED.

ALL SUCK MATERIALS ARE AT THE BUYERS EXPENSE. • ALL MATERIALS BEAR THE SAME WARRANTY AS GIVEN BY THE MANUFACTURER.

THE BUYER HEREBY ACCEPTS TO RESPECT THE FOLLOWING CONDITIONS: NET 30 DAYS FROM BILLING DATE AND THE BUYER ACCEPTS TO PAY

ADMINISTRATION CHARGES OF 2% PER MONTH OR 24% PER ANNUM ON ALL PAST DUE ACCOUNTS OVER 30 DAYS. • ANY DEFAULT IN RESPECT WITH

THIS CONTRACT WILL LEAD TO PAYMENT BY ACCELERATION AND PERMITS TO THE SELLER, AT HIS CHOICE TO CLAIM FOR THE BALANCE DUE OR THE

REPOSSESSION OF THE GOODS SOLD. • ANY CLAIM MUST BE MADE WITHIN FIVE DAYS WITH THIS DOCUMENT ENCLOSED. • ANY MERCHANDISE THAT HAS BEEN DAMMAGED, CUT OR MODIFIED CANNOT BE RETURNED. • ALL GOODS RETURNED MUST BE WITH OUR AUTHORIZATION AND ARE SUBJECT

J/D

SOUS-TOTAL SUB TOTAL

T.P.S. G.S.T.

T.V.Q. Q.S.T.

TOTAL

SIGNATURE DU CLIENT / CUSTOMER'S SIGNATURE



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7 Tel: 613 632 9577

Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO10452

Purchase Order Date 9/23/09 PO Print Date 9/23/09

Page Number 1 of 1

Order From:

CAMPI STEEL 935 BOUL. DU HAVRE VALLEYFIELD, QC J6S 5L1 CA

VC-CAM002

Contact Name

Vendor Phone

800 667 4248

Vendor Fax

450 377 5696

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms Currency Net 30

CAD

FOB

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Special Inst:

Line Nbr Reference

Revision ID

Description/ Mfg ID

Req Date/

Req Qty/ Taxable Unit of Measure

Ship Method

Unit Price

Extended Price

Vendor Part Number

9/24/09

\$1.2500

\$240.00

M569EX0.50-18F

569 Expanded Metal

Yes

192.00 Yours ppd

Dec 160 /cg/5/25 MATERIAL: ASTM A 569/569M DIAMOND AS TO RUN ALONG

THE 4 FEET

PO Total:

\$240.00

POSITIVE RECALL EFFECTIVE 5. 5.25 AUTH

RELEASED _____ DATE ___

MATERIAL CERTIFICATION REQ'D UPON DELIVERY

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required when applicable

Change Nbr:

Change Date: 9/23/09

Certificat de Conformité

Date:

09/24/09

Entreprise:

Acier Campi

De Commande:

39695

La présente certifie que les métaux, métaux déployés, et grillages en métal déployé de sont conformes a toutes les exigences des spécifications militaires MIL-que le type en barreau) ainsi qu'aux exigences de flèches de la spécification Fédérale RR-G-661B.

Les grillages profilés et les échelons galvanisé ASTM-A-526 (Z275) et d'aluminium 5052H32

sont fabriqués d'acier pré

Le Caillebotis a barres soudées est fabriqué aux États-unis, et se conforme aux ormes O.S.H.A., RR-G-661C Fédérale, et MIL-G18014B Militaire.

Chantal Lavoie

From: __denis [denis@aciercampi.com]

Sent: September 16, 2009 3:19 PM

To: 'Chantal Lavoie'

Subject: RE: quote

HELLO

De : Chantal Lavoie [mailto:clavoie@dartaero.com]

Envoyé: 16 septembre 2009 13:44

À: 'denis'
Objet: quote

Please advise price & delivery on material,

Expanded metal 569 ex 0.50-18f x 128

Thanks Chantal 1.25\$ \$.F. IN STOCK

Antivirus avast!: message Entrant sain.

Base de donnees virale (VPS) : 090916-0, 2009-09-16

Analyse le : 2009-09-16 15:17:41

avast! - copyright (c) 1988-2009 ALWIL Software.

DBC, 736

REFERENCE ONLY

Dart Aerospace Ltd

Dart Aerospace Ltd 1270 Aberdeen St Hawksbury, Ontario K6A 1K7

Phone: (613) 632-3336

Fax: (613) 632-4443

Receiving Slip

Date Sep 18, 2008 Page

Receipt Number RCP00008945

Ρ	ur	ch	as	e i	Fr	O I	m	

Campi Steel 935 Boul. Du Havre Valleyfield, QC J6S 5L1

Ship To:

Main Finished Goods Location Dart Aerospace Ltd 1270 Aberdeen St Hawksbury, Ontario K6A 1K7

Reference	Description	Contact	TV	
		[Vendor Number	PO Number
			VC-CAMOO2	BO00007400

	Vendor Item Number	Item Number	Description	Qty. Received	UOM	11110	Γ_	
				aty. Neceived	UOIVI	Unit Cost	Extended Cost	Arrival Date
		M1010S20GA	1010/1025 SHEET	128.000	sf	2.100000	268.80	Sep 18, 2008
		M569EX05018F	COLD ROLLED MINIMUM ULTIMA MINIMUM YIELD TI OR CSA G40-21 38W MATERIAL: AISI 101 569 Expanded Metal NOTE: DIAMOND M MATERIAL: ASTM A	NSILE STRE 44W/50W/60 0-1025 OR A 192.0000 UST RUN AL	NGTH= 28 W/70W STM A36/2 sf	KSI A366/A1008 1.250000	240.00	Sep 18, 2008
				REF	RENCE	ONLY		
			REFERE	NCE ONLY				
Lo	Omments:							j

Comments:



935, Boulevard du Havre, Valleyfield (Québec) J6S 5L1

TRANSMISSION PAR TÉLÉCOPIEUR • FACSIMILE TRANSMISSION

Compagnie : DART	AEROSPACE	Téléphone :	
Destinataire: CHA	NTAL	Télécopieur: Facsimile :	13-632-1053
Sender:	Connor	By:	
Date : 29 SEP	TEMBRE 2009	Heure: Time :	Nombre de pages: 2

MESSAGE

Bonjour Chantal.

Voici le mill test pour votre metal déployer ½ 18F. Pardonner la confusion de ma part.

Merci Joann

C'est un plaisir de faire affaire avec vous.

It's a pleasure to do business with you.

Pour toute information :

(450) 377-4248 / Ntt (514) 336-4248 / Ont 1-800-667-4248
Télécopleur (450) 377-5598
Ce message est strictement réservé à l'usage de l'Individu ou de l'entité à qui il est destiné. La distribution ou copie de cette communication est strictement prohibée. Si vous avez reçu cette communication par erreur, veuillez nous immédiatement.

For information (450) 377-4248 / Mtf (514) 336-4248 / Ont 1-800-667-4248 Fax (450) 377-5696

This message is strictly reserved to the person or company, which it was intended for. Distribution or copy of this communication is strictly prohibited. If you have received this communication by mistake, please call us immediately.

DISTRIBUTEUR D'ACIER ET MÉTAUX SPÉCIALISÉS STEEL AND SPECIALIZED METAL DISTRUBUTOR

935, boulevard du Havre, Valleyfield (Québec) J6S 5L1

	- خداد المحافد	4 17446H 1,4 4			**************************************
	T WOIT MICHIGAL A.B.	essaciones formits el par nati soutisse Verzegraneroris	Maria esta esta esta esta esta esta esta est	यभ्रद्धस्य वर्षे भ्रम्भित्रात्मः । वर्षेत्रयः वर्षे भ्रम्भित्रात्मः ।	Property of the Control of the Contr
MARCHEN L'ARINE EN M	**jt	THE PROPERTY OF THE PROPERTY O	\$		
PORTEUR AVANT DE SIGN	SCRINE YOUT SUMPLIES, MARQUE D DISES SUR LA FEMILE DE ROLLE ER L'ACCEPTATION DU CHARGEME	BUTRANS- MARK OF SOIL	(to)	المحادث الأولايات بي في والمحادث المحادث	
REGLAMATION DOIT ETME RECEPTION DES MANCHA	WALE DIVIS ON DELVI DE 16 TOTIES	APPER LA MANAGEMENT TON	নি বৰ্ণত চাল্লেইছে সভন বিভিন্ন কৰিছে। তেওঁতাৰ বৈশ্ব চল বুবিত্ৰত কৰিছে।	property and the second contraction	(U/)21 Humas I Sengag
	E, SHORTAGE OR DAMAGE MIST FORE STORING FOR ACCEPTANCE O	BE NOTED	and any americans at the S	05/2007 page	117/1
ANY CLAMES MUST BE MAD	WITHIN 10 DAYS FROM RECEIPT O	F GOODS.	Terright Begeleget was a least gablished 138 B Belle begreve between the contra	فرز وقراره الودأ فود فالعاورة	Mark Market 19
Smarr 🗗	process of the second	ines einfruteferen wesemmen.	∮on÷	و ملده	يۇنسان ئۇنىق ئۆنىنى تىرىلىر
N english King ya	် ကျောင်းသည်။ မေးကြွေးကြောင်း လူများက နေ့ကို နေ့ကို ရှိသည်။ မေးကြွေးများ	भारत भारतात्र के भारतां संबंधित के बहेते. 🕎	eturies I. i	n an ingeneral configuration. Of the configuration is a second	1-1 730.000
Hint De Len	e e e e e e e e e e e e e e e e e e e	ि १९५५ वर्षा वर्षा स्थापना । १९५५ वर्षा च्यापना । १९५५ वर्षा स्थापना ।	ि । । । । । । । । । । । । । । । । । । ।	Α	JEDW
or a contraction	Mediato	D.		H Cle	Y and
Company Commence	and worthing on all lands is	Contract of the second	All the second s	Lud	00
a de landia la reve		Marie de la companya	i des 1985 de la 1900 de centralizada. O septimbril de festivo o completações de	Tomas and book of	done my
# COMM:	BON COMM. 7894	TRA	nsport: Notre	CAMION	CAMION:
	F.A.B. DESTI	NATION			
· ····································	orania de la compansia de la compaña de la c		¢ تا ∀ " بىلىپ بەند ئە كەند سەند شەھ	DU A: 10993	EXPED.A:1
# ETIQ. "PRO	DUIT	* COUL	BOB1	NB R	EF PCS F
\$026740 CRC \$026734 CRC	18 GA .x48	W002971 D 070		(==========): J: M =: M = 72**==1\	
BASEA33 CKC	18 GA x48 18 GA x48 18 GA x48	M002971 F 070 W002971 E 070 W002971 B 070 W002971 A 070	65055, 708414 65055 708414	6 HOS-16 220	34 / 34 / 34 34 / 34 / 36 34 / 34 / 34 34 / 34 / 34 34 / 34 / 34
BASEA33 CKC	18 GA x48 18 GA x48	W002971, 足污,070	65055 708414 65055 708414	6 #05-26 220 6 #05-27 20	34
BASEA33 CKC	18 GA x48 18 GA x48	W002971 E 070 W002971 E 070 W002971 A 070	65055, 708414 65055 708414	6 #05-26 220 6 #05-27 20	34 34 0 LBS
soze733 CRC soze732 CRC TT y a 6 et Resume	18 GA x48 18 GA x48 18 GA x48 iquettes Nb de	W002971 E 070 W002971 E 070 W002971 A 070	65055 708414 65055 708414	6 #05-26 220 6 #05-27 20	34 34 0 LBS
S026732 CRC S026732 CRC Tl*y # 6 et Resume	18 GA x48 18 GA x48 19 GA x48 iquettes Nb de	W002971 E 070 W002971 E 070 W002971 A 070	65055 708414 65055 708414	6 #05-26 220 6 #05-27 20	34 34 0 LBS
S026732 CRC S026732 CRC Tl*y # 6 et Resume	18 GA x48 18 GA x48 18 GA x48 iquettes Nb de	W002971 E 070 W002971 E 070 W002971 A 070	65055 708414 65055 708414	6 #05-26 220 6 #05-27 20	0 LBS
S026732 CRC S026732 CRC Il'y 4 6 et Resume CRC 18 GA x4	18 GA x48 18 GA x48 19 GA x48 iquettes Nb de	W002971 B 070 W002971 A 070 W002971 A 070 Pieces 6	65055 708414 65055 708414 65055 708414 Poids tot	6 #05-26 229 6 #05-27 229 6 #05-28 320	0 LB5
S026732 CRC S026732 CRC TT y # 6 et Resume CRC 18 GA x4 ***MATERIEL D COMPOSITION C	18 GA x48 18 GA x48 18 GA x48 iquettes Nb de	W002971 E 070 W002971 B 070 W002971 A 070 Pieces 6	65055 708414 65055 708414	6 #05-26 229 6 #05-27 229 6 #05-28 320	34 34 0 185
Resume CRC 18 GA x4 ***MATERIEL D COMPOSITION C	18 GA x48 18 GA x48 18 GA x48 iquettes Nb de	W002971 E 070 W002971 B 070 W002971 A 070 Pieces 6	65055 708414 65055 708414 65055 708414 Poids tot	6 #05-26 229 6 #05-27 229 6 #05-28 320	0 LBs
SO26732 CRC SO26732 CRC TITY # 6 et Resume CRC 18 GA x4 ***MATERIEL D COMPOSITION C # coulee:	18 GA x48 18 GA x48 19 GA x48 iquettes Nb de	W002971 B- 070 W002971 A 070 W002971 A 070 Dieces= 6	65055 708414 65055 708414 65055 708414 Poids tot	6 405-26 229 6 405-27 229 6 405-28 320 11 = 29.29	0 LBS
Resume CRC 18 GA x4 ***MATERIEL D COMPOSITION C C COMPOSITION C C C C C C C C C C C C C	18 GA x48 18 GA x48 18 GA x48 iquettes Nb de STETRE TOILE E HIMIQUE STETRE TOILE E HIMIQUE STETRE TOILE E HIMIQUE 1010 0011 040	W002971 B- 070 W002971 B- 070 W002971 A 070 Pieces= 6 T GARDE AU SEC	65055 708414 65055 708414 65055 708414 Poids tot	6 #05-26 229 6 #05-28 320 6 #05-28 320 1 = 29.29	0 LBS
Resume CRC 18 GA x4 COMPOSITION C C COMPOSITION C C COMPOSITION C C C C C C C C C C C C C	18 GA x48 18 GA x48 18 GA x48 iduettes Nb de STETRE TOILE E	W002971 B- 070 W002971 B- 070 W002971 A 070 Pieces= 6 T GARDE AU SEC	65055 708414 65055 708414 65055 708414 Poids tot	6 #05-26 229 6 #05-28 320 6 #05-28 320 1 = 29.29	0 LBS
Resume CRC 18 GA x4 COMPOSITION C C COMPOSITION C C COMPOSITION C C C C C C C C C C C C C	18 GA x48 18 GA x48 19 GA x48 iquettes Nb de	W002971 B- 070 W002971 B- 070 W002971 A 070 Pieces= 6 T GARDE AU SEC	65055 708414 65055 708414 65055 708414 Poids tot	6 #05-26 229 6 #05-28 320 6 #05-28 320 1 = 29.29	0 LBS
Resume CRC 18 GA x4 COMPOSITION C C COMPOSITION C C COMPOSITION C C C C C C C C C C C C C	18 GA x48 18 GA x48 18 GA x48 iduettes Nb de STETRE TOILE E	W002971 B- 070 W002971 B- 070 W002971 A 070 Pieces= 6 T GARDE AU SEC	65055 708414 65055 708414 65055 708414 Poids tot	6 #05-26 229 6 #05-28 320 6 #05-28 320 1 = 29.29	0 LBS
Resume CRC 18 GA x4 COMPOSITION C C COMPOSITION C C COMPOSITION C C C C C C C C C C C C C	18 GA x48 18 GA x48 18 GA x48 iduettes Nb de STETRE TOILE E	W002971 B- 070 W002971 B- 070 W002971 A 070 Pieces= 6 T GARDE AU SEC	65055 708414 65055 708414 65055 708414 Poids tot	6 #05-26 229 6 #05-28 320 6 #05-28 320 1 = 29.29	0 LBS
Resume CRC 18 GA x4 COMPOSITION C C COMPOSITION C C COMPOSITION C C C C C C C C C C C C C	18 GA x48 18 GA x48 18 GA x48 iduettes Nb de STETRE TOILE E	W002971 B- 070 W002971 B- 070 W002971 A 070 Pieces= 6 T GARDE AU SEC	65055 708414 65055 708414 65055 708414 Poids tot	6 #05-76 229 6 #05-27 226 6 #05-28 320 al = 29.29 Al N SI 040 .004 .00 la societe e	0 LBS
Resume CRC 18 GA x4 COMPOSITION C C COMPOSITION C C COMPOSITION C C C C C C C C C C C C C	18 GA x48 18 GA x48 18 GA x48 iduettes Nb de STETRE TOILE E	W002971 B- 070 W002971 B- 070 W002971 A 070 Pieces= 6 T GARDE AU SEC	65055 708414 65055 708414 65055 708414 Poids tot	6 #05-76 229 6 #05-27 226 6 #05-28 320 al = 29.29 Al N SI 040 .004 .00 la societe e	0 LBS
Resume CRC 18 GA x4 COMPOSITION C C COMPOSITION C C COMPOSITION C C C C C C C C C C C C C	18 GA x48 18 GA x48 18 GA x48 iduettes Nb de STETRE TOILE E	W002971 B- 070 W002971 B- 070 W002971 A 070 Pieces= 6 T GARDE AU SEC	65055 708414 65055 708414 65055 708414 Poids tot	6 #05-76 229 6 #05-27 226 6 #05-28 320 al = 29.29 Al N SI 040 .004 .00 la societe e	0 LBS
Resume CRC 18 GA x4 COMPOSITION C C COMPOSITION C C COMPOSITION C C C C C C C C C C C C C	18 GA x48 18 GA x48 18 GA x48 iduettes Nb de STETRE TOILE E	W002971 B- 070 W002971 B- 070 W002971 A 070 Pieces= 6 T GARDE AU SEC	65055 708414 65055 708414 65055 708414 Poids tot	6 #05-76 229 6 #05-27 226 6 #05-28 320 al = 29.29 Al N SI 040 .004 .00 la societe e	0 LBS
SO26732 CRC SO26732 CRC TITY # 6 et Resume CRC 18 GA x4 ***MATERIEL D COMPOSITION C COMPOSITION C C Mn P .060 .240 .00! L'information disponible pou	18 GA x48 18 GA x48 18 GA x48 iduettes Nb de iduett	W002971 B- 070 W002971 B- 070 W002971 A 070 Pieces 6 T GARDE AU SEC. N1 Cr Cb. 020 .030 .000 Cte selon les	65055 708414 65055 708414 65055 708414 Poids tot	6 #05-76 229 6 #05-27 226 6 #05-28 320 al = 29.29 Al N SI 040 .004 .00 la societe e	0 LBS
SO26732 CRC SO26732 CRC TITY # 6 et Resume CRC 18 GA x4 ***MATERIEL D COMPOSITION C COMPOSITION C C Mn P .060 .240 .00! L'information disponible pou	18 GA x48 18 GA x48 18 GA x48 iduettes Nb de STETRE TOILE E	W002971 B- 070 W002971 B- 070 W002971 A 070 Pieces 6 T GARDE AU SEC. N1 Cr Cb. 020 .030 .000 Cte selon les	65055 708414 65055 708414 65055 708414 Poids tot	6 #05-76 229 6 #05-27 226 6 #05-28 320 al = 29.29 Al N SI 040 .004 .00 la societe e	0 185) 12 .000 .

Chris Provencal

From:

Chris Provencal [cprovencal@dartaero.com]

Sent:

October 6, 2009 2:12 PM

To:

'David Shepherd'

Cc:

'Jason Murdoch'; 'L Lacelle'

Subject:

Basket Test

Attachments: load3.jpg; result1.jpg; result2.jpg; load1.jpg; load2.jpg; 0246_001.pdf

David,

RE: D350-721-041 Basket load test:

Per TR-D350-721-1 Rev. A, the ultimate vertical load req'd is 1204 lb. The total length of the basket is 86.5" and the length between segments is 29.5". Therefore the load per section is 1204 lb * 29.5/86.5 = **411 lb**. This load is conservative because it includes the cargo load + the weight of the basket in its calculation.

The basket was lined with foam and cardboard. The basket was supported under the framing (only the mesh was being tested), and the mesh was left unsupported. We distributed **424 lbs**, in steel blocks and sandbags between two ribs and the weight was on for at least 30 seconds as I took pictures. There was no damage or deformation to the mesh, frame, or welds.

The attached pictures show the load, as well as the basket after loading. Is this mesh material acceptable to use?

Sincerely, Christopher Provencal DART Aerospace Ltd.

cprovencal@dartaero.com

Tel: (613) 632 5200 Fax: (613) 632 9311